

**Dialog DataStar**

options

logoff

feedback

help

databases

search  
page

titles

## Document

Select the documents you wish to **save** or **order** by clicking the box next to the document, or click the link above the document to order directly.

save

locally as: PDF document



include search strategy

previous  
documentsnext  
documents

order

☐ document 3 of 116 [Order Document](#)**INSPEC - 1969 to date (INZZ)****Accession number & update**

7685995, C2003-08-7240-041; 20030714.

**Title**

Interactive methods for taxonomy editing and validation.

**Author(s)**Spangler-S; Kreulen-J; Ed. by Kalpakis-K; Goharian-N; Grossman-D.**Author affiliation**

IBM Almaden Res Center, San Jose, CA, USA.

**Source**

ACM CIKM 2002, 11th International Conference on Information and Knowledge Management, Mclean, VA, USA, 4-9 Nov. 2002.

Sponsors: ACM.

In: p.665-8, 2002.

**ISSN**

ISBN: 1-58113-492-4, CCCC: 1 58113 492 4/2002/0011... (\$5.00).

**Publication year**

2002.

**Language**

EN.

**Publication type**

CPP Conference Paper.

**Treatment codes**

P Practical.

**Abstract**

Taxonomies are meaningful hierarchical categorizations of documents into topics reflecting the natural relationships between the documents and their business objectives. Improving the quality of these taxonomies and reducing the overall cost required to create them is an important area of research. Supervised and unsupervised text clustering are important technologies that comprise only a part of a complete solution. However, there exists a great need for the ability for a human to efficiently interact with taxonomy during the editing and validation phase. We have developed a comprehensive approach to solving this problem, and implemented this approach in a software tool called eClassifier. eClassifier provides features to help the taxonomy editor understand and evaluate each category of a taxonomy and visualize the relationships between the categories. Multiple techniques allow the user to make changes at both the category and document level. Metrics then establish how well the resultant taxonomy can be modeled for future document classification. We present a comprehensive set of viewing, editing and validation techniques we have implemented in the Lotus Discovery Server (Pohs,

L Number	Hits	Search Text	DB	Time stamp
1	0	(707/103.x).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:15
2	0	(707/103).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:16
3	0	(707/103.y).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:16
4	0	(707/103.r).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:16
5	2709	(707/104.1).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:16
6	6	((cluster\$3 with categor\$) and organization) and ((calculat\$ or measur\$) with similar\$) and ((707/104.1).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:33
9	99	((cluster\$3 with categor\$) and organization) and ((calculat\$ or measur\$) with similar\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:34
12	11	((cluster\$3 with categor\$) and organization) and ((calculat\$ or measur\$) with similar\$) and (degree with similar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 17:34
-	810	cluster\$3 with categor\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 09:09
-	286	(cluster\$3 with categor\$) and organization	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 09:11
-	99	((cluster\$3 with categor\$) and organization) and ((calculat\$ or measur\$) with similar\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 15:17
-	14808	group\$ with categor\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 09:14
-	157	prototype with categor\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 09:14
-	56	(group\$ with categor\$) and (prototype with categor\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 09:15

-	46	((group\$ with categor\$) and (prototype with categor\$)) and vector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 09:15
-	5	((group\$ with categor\$) and (prototype with categor\$)) and vector) and (cluster\$3 with categor\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:21
-	2	("5787422").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:23
-	2	("5832182").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:24
-	2	("5864855").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:25
-	2	("5999927").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:25
-	2	("6003029").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:29
-	446	(categor\$ with hierarch\$) and cluster\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:30
-	5676	categor\$ with similar\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:30
-	129	((categor\$ with hierarch\$) and cluster\$) and (categor\$ with similar\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:30
-	9	((categor\$ with hierarch\$) and cluster\$) and (categor\$ with similar\$) and (classif\$3 with document) and organization and ((calculat\$ or measur\$3) with similar\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:36
-	29	((categor\$ with hierarch\$) and cluster\$) and (categor\$ with similar\$) and organization and ((calculat\$ or measur\$3) with similar\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:44
-	41	((categor\$ with hierarch\$) and cluster\$) and (categor\$ with similar\$) and ((calculat\$ or measur\$3) with similar\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:44
-	1	((categor\$ with hierarch\$) and cluster\$) and (categor\$ with similar\$) and ((calculat\$ or measur\$3) with similar\$) and (prototype with categor\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 10:55

-	157	(prototype with categor\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 10:55
-	1	((cluster\$3 with categor\$) and organization) and ((calculat\$ or measur\$ with similar\$)) and (group\$ with categor\$) and (prototype with categor\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 10:56
-	49	((cluster\$3 with categor\$) and organization) and ((calculat\$ or measur\$ with similar\$)) and (group\$ with categor\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 10:56
-	42	((cluster\$3 with categor\$) and organization) and ((calculat\$ or measur\$ with similar\$)) and (group\$ with categor\$) and input\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 10:56
-	5	((cluster\$3 with categor\$) and organization) and ((calculat\$ or measur\$ with similar\$)) and (group\$ with categor\$) and input\$ and prototype	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 10:57
-	37	((cluster\$3 with categor\$) and organization) and ((calculat\$ or measur\$ with similar\$)) and (group\$ with categor\$) and input\$ and (hierarch\$ or tree)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 10:57
-	10	((cluster\$3 with categor\$) and organization) and ((calculat\$ or measur\$ with similar\$)) and (group\$ with categor\$) and input\$ and (hierarch\$ or tree) and @pd<20010914	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 11:05
-	12	((cluster\$3 with categor\$) and organization) and ((calculat\$ or measur\$ with similar\$)) and (group\$ with categor\$) and (tree or hierarchy) and (input\$3 with documents)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 11:50
-	99	(cluster\$3 with categor\$) and ((cluster\$3 with categor\$) and organization) and ((calculat\$ or measur\$ with similar\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:23
-	16	((cluster\$3 with categor\$) and ((cluster\$3 with categor\$) and organization) and ((calculat\$ or measur\$ with similar\$))) and ((input or enter or insert) with item)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:24
-	2	("6182066").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 16:41
-	30	((cluster\$3 with categor\$) and ((cluster\$3 with categor\$) and organization) and ((calculat\$ or measur\$ with similar\$))) and ((input or enter or insert) with cluster\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 17:52
-	2	("5754938").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 17:53
-	1	("0537180").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/08 17:54

-	2	("5371807").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/09 15:15
---	---	-----------------	---	------------------



[Advanced Search](#) [Preferences](#) [Language Tools](#) [Search Tips](#)

clustering document and categories

Google Search

The word "or" was ignored in your query – for search results including one term or another, use capitalized "OR" between words. [\[details\]](#)  
The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

[Web](#) - [Images](#) - [Groups](#) - [Directory](#) - [News](#)

Searched the web for **clustering document and categories and prototype and (tree or hierarchy) and (meas**

Citations: Basic objects in natural **categories** - Rosch, Mervis, ...

... and hierarchical approaches to **clustering** correspond to ... P. Basic Objects in Natural

**Categories**, Cognitive Psychology ... First 50 **documents** Next 50 Online articles ...  
citeseer.nj.nec.com/context/11403/0 - 36k - [Cached](#) - [Similar pages](#)

Sponsored Links

[The Sleuthhound](#)

Get control information overload  
Never lost your documents again  
[www.isleuthhound.com](http://www.isleuthhound.com)  
Interest:

[See your message here...](#)

Citations: Knowledge acquisition via incremental conceptual ...

... category of a **document**, Weiss approach ... of terms that were used to discriminate between

**categories**. ... Knowledge acquisition via incremental conceptual **clustering**. ...  
citeseer.nj.nec.com/context/10117/0 - 36k - Dec 7, 2003 - [Cached](#) - [Similar pages](#)  
[\[ More results from citeseer.nj.nec.com \]](#)

[\[PDF\] Business News in 3D](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... hierarchical structure containing two main **categories** of spatial ... having found a relevant subject (**cluster** label) the ... generated by the VRML-**Document-Finder** can ...

fabdp.fh-potsdam.de/daessler/paper/ieee98.pdf - [Similar pages](#)

[\[PPT\] Intelligent Information Retrieval and Web Search](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... Discover new **categories** in an unsupervised manner (no sample category labels provided ... Cosine similarity of **document** vectors ... Single Link Agglomerative **Clustering**. ...

[www.cisp.jhu.edu/ws03/preworkshop/lecture\\_mooney.ppt](http://www.cisp.jhu.edu/ws03/preworkshop/lecture_mooney.ppt) - [Similar pages](#)

[\[doc\] A Dynamical Growing Self-Organizing Tree for Hierarchical ...](#)

File Format: Microsoft Word 2000 - [View as HTML](#)

... are classified into three equal level **categories**. ... N., and Tishby, N., □Unsupervised

**Document** Classification using ... An Efficient Approach to **Clustering** in Large ...

[utdallas.edu/~luofeng/DGSOT.doc](http://utdallas.edu/~luofeng/DGSOT.doc) - [Similar pages](#)

[\[PDF\] Clustering Outline](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... market research, WWW, ... **Cluster documents Cluster** web log ... and Applications 15 **Categories** of **Clustering** ... and Applications 28 Hierarchical **Clustering** Group data ...

[www.cs.unc.edu/Courses/comp290-90-f03/clustering1.pdf](http://www.cs.unc.edu/Courses/comp290-90-f03/clustering1.pdf) - [Similar pages](#)

[\[PDF\] Carrot and Language Properties in Web Search Results Clustering](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... real structure of results, not some predefined **categories** (to differentiate ... B., Moore, J.: Partitioning-based **clustering** for web **document** categorization. ...

[www.cs.put.poznan.pl/dweiss/site/publications/download/stefanowski-weiss-awic-2003.pdf](http://www.cs.put.poznan.pl/dweiss/site/publications/download/stefanowski-weiss-awic-2003.pdf) - [Similar pages](#)

Citations: Knowledge acquisition via incremental conceptual ...

... that were used to discriminate between **categories**. ... over topics rather than individual

**documents.** ... Knowledge acquisition via incremental conceptual **clustering.** ...

citeseer.ist.psu.edu/context/10117/0 - 61k - [Cached](#) - [Similar pages](#)

[PDF] **Retrieval from facet spaces**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... left to right, these correspond to the **categories** Natural Language ... Thus, the **cluster** results could be used as a structure for organizing **documents** on the ...

cajun.cs.nott.ac.uk/compsci/epo/papers/ volume8/issue2/2point31.pdf - [Similar pages](#)

[PS] **Multi-Media Fusion through Application of Machine Learning and ...**

File Format: Adobe PostScript - [View as Text](#)

... groups of previously unknown "**categories**," we em ... Inverse **document** frequency (idf):

A **measure** of ... Knowledge acquisition via incremental conceptual **clustering.** ...

www2.parc.com/istl/projects/mlia/papers/aone.ps - [Similar pages](#)

Google

Result Page:    1   2   3   4   5   6   7   8   9   10    **Next**

clustering document and categories

Google Search

[Search within results](#)

Dissatisfied with your search results? [Help us improve.](#)

Get the [Google Toolbar](#):



[Google Home](#) - [Advertise with Us](#) - [Business Solutions](#) - [Services & Tools](#) - [Jobs, Press, & Help](#)

©2003 Google